Packages				
	QDS 263 B			
SH 2 M Ecoline	ANY ANY MAN		Package: Machine + PB Ø 14, 17, 20, 24 + QDS 26X B	
SH 2 M H2, SH 2 P, SH 2 A, SH 2 LA			Package: Machine + PB Ø 14, 17, 20, 24, 28, 32, 40 + QDS 26X B	
	QDS 239 B	QDC 239.5		
HM 200, SC 3, SH 4			Package: Machine + PB Ø 17, 20, 24, 28, 32, 40, 44, 50 + QDS 239 B + QDC 239.5	
SC 4	ÕÕÕ	To and	Package: Machine + PB Ø 17, 20, 24, 28, 32, 40, 47, 54, 62 + QDS 239 B + QDC 239.5	
SH 7, SC 6, SH 6, SH 6 S			Package: Machine + PB 17, 20, 24, 28, 32, 40, 44, 50, 57, 71 + 265.239 L + QDS 239 B + QDC 239.5	
SH 10 i, SH 10 i XL			Package: Machine + PB Ø 17, 20, 24, 28, 32, 40, 44, 50, 57, 71 + 237.239.2L2 + QDS 239 B + QDC 239.5	
SC 12 i			Package: Machine + PB Ø 17, 20, 24, 28, 32, 40, 44, 50, 57, 71 + 237.239.2L2 + QDS 239 B + QDC 239.5	

## PUM 0.8/3.2-700 bar...

## The mobile high-pressure power unit manages 700 bar: a real magic box!

UNIFLEX mobile hydraulic power packs are popular worldwide due to their high performance, robustness and compact dimensions.worldwide. With an innovative high-pressure power unit, UNIFLEX now offers a practical accessory, namely an ingeniously simple external power tool: with a standard cordless screwdriver (min. 25 Nm drive torque), manual workshop presses for 1" hoses (4SH/R15) can be driven hydraulically.

## ... with SH 2 Ecoline and cordless screwdriver

Nominal pressure	70 MPa (700 bar)	
Adjustable pressure relief valve	up to 700 bar manually adjustable	
Drive	All commercially available cordless screwdrivers (min. 25Nm)	
Temperature range	10°C to +35°C	
Shoulder strap	1	
Oil tank volume	2.5 I	
Pressure gauge measuring connection	1	
Delivery rate	3.2 L/min Low pressure up to 5 MPa (50 bar) 0.8 L/min High pressure above 5 MPa (50 bar)	
L x W x H (mm)	L x W x H (mm) 245 x 170 x 220	
Weight	8.5 kg with oil	





Service Crimpers